



30955 Forest Boulevard
Stacy MN 55079



THE STACY CHRONICAL

JUNE 2016

«FirstName» «LastName»
«Address1»
«City» «State» «PostalCode»

From the Mayor

We have some big projects getting underway! Look for a lot of activity in the coming summer months. The remodel of City Hall has begun. After renovation, there will be a new look to everything inside City Hall. The main entrance will be the south door of the west side of the building. The old office will now be storage area. We will be providing a more secure working environment for our Clerk's department as well as American Disability Act (ADA) accessibility for all that use city hall. Our expectation is that the remodel will be complete late summer or early fall.

What this means for now is that all city council meetings and many other meetings will be held at the building at Doyle Field. The Clerk's office is temporarily located in a construction type trailer in the city hall parking lot. It actually has more room than the old office.

The water treatment plant is out for bid as I type this article. While we still don't know if we will be breaking ground yet this year, we will be starting soon. The water treatment plant will be located just south of city hall and share the city hall parking area.

I will also offer a reminder that we have openings on our Planning Commission, Park and Recreation Committee, Stacy Economic Development Authority and History Committee. If you are interested in serving or just want more information, Please contact city hall at 651.462.4486.

Mark Utecht

WWW.STACYMN.ORG
462-4486



**GO
VOTE**

August 9th
Rick Doyle
Building

**MONTHLY
MEETINGS, 7PM:**

Council
Second Tuesday

**Planning
Commission**
Third Tuesday

**Meeting Notices
Posted at:**
Tim's

First State Bank of
Wyoming

Outside City Hall

Mobile Home Park Office

CITY HALL HOURS:
MON: 9-5
TUES: 11-7
WED: 9-5
THURS: 9-5
FRI: CLOSED

Reminder:

City Office is located in the office trailer on City Hall Property, use the North Side of the trailer for entry.

City Council and Planning Commission meetings will be held at the Rick Doyle Building unless posted otherwise.

City Council	462-4486
Sharon Payne City Clerk	462-4486
Lynda Schmidt Utility Billing	462-4486
Tanner Jones Maintenance Supervisor	651-775-7495
Melissa Archer Sports Grill Manager	462-4876
Brian Hachey Wine & Spirits Manager	462-2727
Jack Kramer Building Inspector	651-351-5051

Stacy Daze Parade Information:

<http://www.stacylentfire.com/>

Vendor Information:

Linda Miller 462-2630 After 4pm.



Interested in running for city office in November?

Affidavits of Candidacy will be taken beginning at 11am August 2 and ending on August 16, at 5pm There is a \$2 filing fee; the offices to be voted on are

- ◆ Mayor (2 year term)
- ◆ 2 Council Member Seats (4 year term).

Want to serve as Election Judge?

Contact Sharon at 462-4486 by July 1st if you are interested.



Are You Moving?

Notify Lynda in the Utility Billing Department at 651-462-4486 or complete the Service Change form on the city website as soon as you know you are moving (www.stacymn.org, Departments, Water and Sewer, Service Change Form). **You are responsible for any water used until we are notified you are no longer in the home.**

PUBLIC NOTICE

IMPORTANT INFORMATION ABOUT YOUR DRINKING WATER

Tests show levels of radium 226 and radium 228
above drinking water standards

Stacy public water supply routinely monitors for the presence of drinking water contaminants. Recent testing results show that the average level of combined radium 226 and 228 was 6.2 picoCuries per liter (pCi/L). This is above the standard or maximum contaminant level (MCL), of 5.4 pCi/L.

Radium 226 and radium 228 occur naturally within the groundwater. Some people who drink water containing radium in excess of the MCL over many years may have an increased risk of getting cancer.

This is not an emergency. You do not need an alternative source of water, such as bottled water. However if you have specific health concerns, consult your doctor. Home water treatment units are available to reduce radium 226 and radium 228, which include water softening, reverse osmosis, and distillation. It is recommended that these home water treatment units be certified to ensure radium removal. The use of carbon filters is not recommended for removal of radium, as radium may accumulate in the filter over time.

Your public water supply is exploring methods to reduce the level of radium 226 and radium 228, which may include an alternative water source or water treatment. You will be informed when the public water supply has reduced the level of radium and meets the standard.

Please share this information with all other people who drink this water, especially those who may not have received this notice directly (for example, people in apartments, nursing homes, schools, and businesses). You can do this by posting this notice in a public place or distributing copies by hand or mail.

For more information, please contact Tanner Jones at 651-775-7495 or mailing address 30955 Forest Boulevard, Stacy, MN 55079.

This notice is being sent to you by the City of Stacy, PWSID1130016.

PLEASE NOTE: this is not something caused by the city's maintenance of the system, it is naturally occurring in the aquifer.

As required by the Minnesota Department of Health you will be receiving this notice on a quarterly basis until the radium levels are at acceptable levels.

Distribution Date: June 20, 2016

2015 Drinking Water Report

Copies of the 2015 Consumer Confidence Report are available at city hall, call 462-4486 to have a copy mailed to you or if you prefer you can access the report at:

<http://tiny.cc/pbx7by>

OR follow the link located at: www.stacymn.org, Consumer Confidence Reports, Read more...

CITY OF STACY, MINNESOTA SUMMARY FINANCIAL REPORT

REVENUES AND EXPENDITURES FOR GENERAL OPERATIONS GOVERNMENTAL FUNDS DECEMBER 31, 2015

The purpose of this report is to provide a summary of financial information concerning the City of Stacy to interested citizens. The complete financial statements may be examined at the City Hall, 30955 Forest Blvd Stacy, MN Questions about this report should be directed to Sharon Payne, City Clerk, at 651-462-4486

	Total <u>2015</u>	Total <u>2014</u>	Percent Increase (Decrease)
REVENUES:			
Taxes and Assessments	\$ 413,979	\$ 418,596	(1.10)%
Licenses and Permits	18,691	26,639	(29.84)%
Intergovernmental	332,289	305,185	8.88 %
Charges for Services	10,264	21,604	(52.49)%
Fines	2,669	1,569	70.11 %
Investment Earnings	2,582	2,577	0.19 %
Miscellaneous	128,095	48,023	166.74 %
Transfer In	<u>341,552</u>	<u>10,000</u>	<u>3,315.52 %</u>
Total Revenues	\$ <u>1,250,121</u>	\$ <u>834,193</u>	<u>49.86 %</u>
Per Capita	<u>904</u>	<u>603</u>	
EXPENDITURES:			
Current			
General Government	\$ 185,755	\$ 190,835	(2.66)%
Public Safety	157,252	164,252	(4.26)%
Public Works	65,361	110,218	(40.70)%
Culture and Recreation	35,051	34,317	2.14 %
Economic Development	17,120	15,239	12.34 %
Miscellaneous	73,469	116,424	(36.90)%
Debt Service:			
Principal Payments	145,114	158,886	(8.67)%
Interest Payments	55,957	89,414	(37.42)%
Other Charges	1,213	1,113	8.98 %
Capital Outlay	468,344	22,449	1,986.26 %
Transfer Out	<u>11,552</u>	<u>-</u>	<u>100.00 %</u>
Total Expenditures	\$ <u>1,216,188</u>	\$ <u>1,000,336</u>	<u>21.58 %</u>
Per Capita	<u>879</u>	<u>723</u>	
Long-term Indebtedness	<u>\$ 1,643,000</u>	<u>\$ 1,788,114</u>	<u>(8.12)%</u>
Per Capita	<u>1,188</u>	<u>1,293</u>	
General Fund Unassigned Fund Balance - December 31	<u>\$ 455,445</u>	<u>\$ 498,756</u>	<u>(8.68)%</u>
Per Capita	<u>329</u>	<u>361</u>	

The water tower will be cleaned sometime in the next couple of months; the Maintenance Department anticipates there will be no impact in your service. If you have any questions please contact Tanner Jones 651-775-7495.



Water Conservation
Visit conserveh2o.org